



Portable Air Conditioner Brochure

Portable Air Conditioner PA series



Product Features:

- Simple and compact design.
- Ideal for office and home use as an air conditioner, fan cooler and dehumidifier.
- Environmental-friendly refrigerant R410a.
- Super large air outlet, strong wind and good performance.
- Large operation area on top panel, electronic control and remote control available.
- 24 hours timer.
- Low noise and high energy efficiency.
- patented design of exhaust air outlet, easy installation and disassembly.
- Self evaporative system, condensate recycled inside the unit to improve energy efficiency.

PA Series Specification



Model	PA-07C	PA-09C	PA-10C
Cooling capacity	7000 Btu/h	9000 Btu/h	10000 Btu/h
Power supply	220-240~/50Hz		
Rated input	785w	1025w	1120w
Moisture removal	0.6l	1.0l	1.1l
Air circulation	350m ³ /h	380m ³ /h	380m ³ /h
Noise level	56dB(A)	56dB(A)	56dB(A)
Body size	300*761*360mm		
Packing size	355*882*460mm		
Weight	22.5/26.5kg	24.5/28.5kg	24.5/28.5kg
Loading 20'	160	160	160
Loading 40'	330	330	330
Loading 40'HQ	495	495	495

PA Series Specification



Model	PA-08C	PA-10C	PA-12C
Cooling capacity	8000 Btu/h	10000 Btu/h	12000 Btu/h
Power supply	110-120V~/60Hz		
Rated input	850w	1050w	1250w
Moisture removal	0.8l	1.1l	1.2l
Air circulation	380m ³ /h	380m ³ /h	380m ³ /h
Noise level	56dB(A)	56dB(A)	56dB(A)
Body size	300*761*360mm		
Packing size	355*882*460mm		
Weight	22.5/26.5kg	24.5/28.5kg	24.5/28.5kg
Loading 20'	160	160	160
Loading 40'	330	330	330
Loading 40'HQ	495	495	495

Portable Air Conditioner PA1 series



Product Features:

- Pushing handle design.
- Ideal for office and home use as an air conditioner, fan cooler and dehumidifier.
- Environmental-friendly refrigerant R410a.
- Super large air outlet, strong wind and good performance.
- Large operation area on top panel, electronic control and remote control available.
- 24 hours timer.
- Low noise and high energy efficiency.
- patented design of exhaust air outlet, easy installation and disassembly.
- Self evaporative system, condensate recycled inside the unit to improve energy efficiency.

PA1 Series Specifications



Model	PA1-07C	PA1-09C	PA1-10C
Cooling capacity	7000 Btu/h	9000 Btu/h	10000 Btu/h
Power supply	220-240~/50Hz		
Rated input	785w	1025w	1120w
Moisture removal	0.6l	1.0l	1.1l
Air circulation	350m ³ /h	380m ³ /h	380m ³ /h
Noise level	56dB(A)	56dB(A)	56dB(A)
Body size	300*761*360mm		
Packing size	355*882*460mm		
Weight	22.5/26.5kg	24.5/28.5kg	24.5/28.5kg
Loading 20'	160	160	160
Loading 40'	330	330	330
Loading 40'HQ	495	495	495

PA1 Series Specifications



Model	PA1-08C	PA1-10C	PA1-12C
Cooling capacity	8000 Btu/h	10000 Btu/h	12000 Btu/h
Power supply	110-120V~/60Hz		
Rated input	850w	1050w	1250w
Moisture removal	0.8l	1.1l	1.2l
Air circulation	380m ³ /h	380m ³ /h	380m ³ /h
Noise level	56dB(A)	56dB(A)	56dB(A)
Body size	300*761*360mm		
Packing size	355*882*460mm		
Weight	22.5/26.5kg	24.5/28.5kg	24.5/28.5kg
Loading 20'	160	160	160
Loading 40'	330	330	330
Loading 40'HQ	495	495	495

Portable Air Conditioner PB series



Product Features:

- Elegant and compact design.
- Ideal for office and home use as an air conditioner, fan cooler and dehumidifier.
- Environmental-friendly refrigerant R410a.
- Upward outlet, auto swing.
- LCD display, touch control panel and remote control available.
- 24 hours timer.
- Remote control compartment design.
- Low noise and high energy efficiency.
- patented design of exhaust air outlet, easy installation and disassembly.
- Self evaporative system, condensate recycled inside the unit to improve energy efficiency.

PB Series Specifications



Model	PB-12C	PB-15C
Cooling capacity	12000 Btu/h	15000 Btu/h
Power supply	220-240V~/50Hz	
Rated input	1350w	1685w
Moisture removal	1.4l	1.5l
Air circulation	430m ³ /h	450m ³ /h
Noise level	56dB(A)	56dB(A)
Body size	471*850*355mm	
Packing size	540*888*398mm	
Weight	32.5/37.5kg	33.5/38.5kg
Loading 20'	120	120
Loading 40'	246	246
Loading 40'HQ	369	369

PB Series Specifications



Model	PB-12C	PB-14C
Cooling capacity	12000 Btu/h	14000 Btu/h
Power supply	110-120V~/60Hz	
Rated input	1250w	1350w
Moisture removal	1.2l	1.3l
Air circulation	430m ³ /h	450m ³ /h
Noise level	56dB(A)	56dB(A)
Body size	471*850*355mm	
Packing size	540*888*398mm	
Weight	32.5/37.5kg	33.5/38.5kg
Loading 20'	120	120
Loading 40'	246	246
Loading 40'HQ	369	369

Portable Air Conditioner PC1 series



Product Features:

- Compact design.
- Ideal for office and home use as an air conditioner, fan cooler and dehumidifier.
- Environmental-friendly refrigerant R410a.
- Semi-upward outlet, auto swing.
- LCD display, touch control panel and remote control available.
- 24 hours timer.
- Low noise and high energy efficiency.
- patented design of exhaust air outlet, easy installation and disassembly.
- Self evaporative system, condensate recycled inside the unit to improve energy efficiency.

PC1 series Specifications



Model	PC1-12C	PC1-15C
Cooling capacity	12000 Btu/h	15000 Btu/h
Power supply	220-240V~/50Hz	
Rated input	1350w	1685w
Moisture removal	1.4l	1.5l
Air circulation	430m ³ /h	450m ³ /h
Noise level	56dB(A)	56dB(A)
Body size	471*850*355mm	
Packing size	540*888*398mm	
Weight	32.5/37.5kg	33.5/38.5kg
Loading 20'	120	120
Loading 40'	246	246
Loading 40'HQ	369	369



宁波福优桑尼光伏科技有限公司

NINGBO 4USUNNY PHOTOELECTRIC TECHNOLOGY COLTD

Url:www.4usunny.en.alibaba.com

Email: sales01@solarelectricappliance.cn

Tel: +86-574-55842995

Fax: +86-574-86881658

Add: NO.548, Ming Zhou Road, Beilun District, Ningbo City, Zhejiang
Province, China. 315800